

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS**

Date of Report: May 10, 1993
Date Received: May 6, 1993
Project: 7238, Metro Self Monitor, PO #M28818
Date Samples Extracted: May 6, 1993
Date Extracts Analyzed: May 6, 1993



**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL AND ZINC
Samples Processed Using Method 3005
Results Reported as mg/L (ppm)**

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M28818	0.6	0.3	0.5	0.2
<u>Quality Assurance</u>				
Blank	<0.05	<0.05	<0.05	<0.05
M28818 (Duplicate)	0.6	0.3	0.5	0.2
M28818 (Matrix Spike) % Recovery	96%	98%	95%	120%
M28818 (Matrix Spike Duplicate) % Recovery	96%	96%	96%	120%
Spike Blank % Recovery	100%	98%	101%	103%
Spike Level	5	5	10	5

BTB

Send Report To: Alaskan Copper Works Contact: Gerrald A. Thompson
 Company: _____
 Address: 628 Harvard St
 City, State, Zip: Seattle WA 98134
 Phone # (206) 623-5800 x 218 Date: 5-6-93

[illegible]

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: 	Gerald A. Thompson	Alaskan Copper Works	5/6/93	9:00 AM
Received by: 	Angela Floyd	FBI	5.6.93	9:01 am
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

**Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282**

**3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044**

DUPLICATE COPY

May 10, 1993

INVOICE # 93ACU0510-1

**Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**

**RE: Project 7238, Metro Self Monitor, PO #M28818: Results of testing requested
by Gerry Thompson, Project Leader and submitted on May 6, 1993.**

**1 water sample analyzed for Chromium, Copper, Nickel,
and Zinc @ \$65 per sample**

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

May 10, 1993


Gerry Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on May 6, 1993 from Project 7238, Metro Self Monitor, PO #M28818.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,



Bradley T. Benson
Chemist

BTB/dp

Enclosures